

9200036

THIE UNITED STANTES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Ciba-Ceigy Seeds Division

Telhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to excude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different by therefrom, to the extent provided by the Plant Variety Protection Act 5, 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'3311'

In Lestimony Winexcot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 30th day of November in the year of our Lord one thousand nine hundred and ninety-two.

Successive of Agriculture

Attest:

Kenneth Hvar Commissioner Plant Variety Protection Office Agricultural Marketing Service Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULTURAL MAR	RKETING SERVICE		Application is required in order to determine if a plant variety protection
APPLICATION FOR PLANT VARIE	ETY PROTECTIO	N CERTIFICATE	certificate is to be issued (7 U.S.C. 2421 Information is held confidential uni certificate is issued (7 U.S.C. 2426).
1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OF	
OTPA CETOW G 1 D	•	EXPERIMENTAL NO.	
CIBA-GEIGY Seed Division 4 ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		2906Y	3311
Post Office Box 18300		5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
Greensboro, NC 27419-8300		(010) 7/7 100	PVPO NUMBER
010enab010, NC 2/419-0300		(919) 547–1000	9200036
		-	F Date
			Dec. 10,1991
6 GENUS AND SPECIES NAME	7. FAMILY NAME (Botar		Time
Glycine max	Leguminosa	2	N AM PM
8 CROP KIND NAME (Common Name)	9.	DATE OF DETERMINATION	F Filing and Examination Fee:
Soybean		September, 1984	E: 2150.—
10 IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORC			S Date
Corporation	annia (corporation, pa	rinership. association, etc.)	B Dec. 10,1991
11. IF INCORPORATED, GIVE STATE OF INCORPORATION			C Certificate Fee:
•	12. 0	ATE OF INCORPORATION	\$250.00
New York		1966	5 Nov. 3, 1992
Dr. Robert Bruce Hunter CIBA—GEIGY Seed Division Post Office 18300 Greensboro, NC 27419—8300 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F X	ship. ad Sample mailed to Plant "Treasurer of the United Stool By VARIETY NAME ONL Delow) To 17. IF "YES" T VARIETY IN THE U.S.? Patent Act. Give da	(919) 547-1 PHONE (Include area conse) Variety Protection Office Lates." Y AS A CLASS OF CERTIFIED SEED? (Inc.) O ITEM 16, WHICH CLASSES OF PROD JINDATION REGIS	ode): See section 83(a) of the Plant Variety
HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR X YES (II "YES." give names of countries and dates) Unite NO The applicant(s) declare(s) that a viable sample of basic a request in accordance with such regulations as may be applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitly applicant(s) is (are) informed that false representation he	ed States Januared of this variety will blicable. s sexually reproduced a ed to protection under the	be furnished with the applicat	
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR 1	TTLE	DATE
CIBA_GENCY)Seed Division BY: //	Vice Pre	sident of Research	Decomber 6,1991
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR T	ITLE	DATE

EXHIBIT A

CIBA-GEIGY SEED DIVISION'S APPLICATION FOR 3311 ORIGIN AND BREEDING HISTORY OF THE VARIETY

Variety 3311 evolved from a cross of A3127/SL1646. It is an F_5 derived variety which was advanced to the F_5 generation by modified single-seed descent. The F_6 progeny row of 3311 was grown in Illinois during the summer of 1984. Subsequently, 3311 has undergone six years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits, from generation to generation, with no evidence of variants.

Approximately 0.06 acres of 3311 (breeders seed) were grown in 1988. One acre of parent seedstock (foundation equivalent) was grown in 1989.

EXHIBIT B

CIBA-GEIGY SEED DIVISION'S APPLICATION FOR 3311 NOVELTY STATEMENT

Variety 3311 is most similar to the variety A2943. It can be differentiated from A2943 by its susceptibility to phytophthora root rot (caused by *Phytophthora megasperma* Drechs. f. sp. *glycinea* T. Kuan and D. C. Enwin). 3311 is susceptible to races 1, 3, 4 and 7 of phytophthora root rot and is expected to be susceptible to all other races. A2943 carries the Rps₁ gene for resistance. Additionally, 3311 exhibits low seed protein peroxidase activity and A2943 exhibits high seed protein peroxidase activity.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

	30181	EAN (GIYCINE MAX L.)	
N.	ME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
C	Ba-GEIGY Seed Division	2906Y	1
		i e	3311
AC	DRESS (Street and No., or R.F.D. No., City, State, and Zip Co	ode)	FOR OFFICIAL USE ONLY
Po	ost Office Box 18300		PVPO NUMBER
	eensboro, NC 27419-8300		9200036
Sta	oose the appropriate response which characterizes the viscour answer is fewer than the number of boxes provided reed characters * are considered fundamental to an adequentation is available.	l. DISCR S TATO IN the times have	ha
	10-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-		waster and an accepted
1. 3	SEED SHAPE:		
		.)	
	1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened (4 = Elongate Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) -/T ratio > 1.2; T/W > 1.2)
★ 2. S	EED COAT COLOR: (Mature Seed)		
	1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (5	Specify)
3. S	EED COAT LUSTER: (Mature Hand Shelled Seed)		
	1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	oy'; 'Gasoy 17'}	
★ 4. Si	EED SIZE: (Mature Seed)		
1 5	Grams per 100 seeds		
± 5. H	LUM COLOR: (Mature Seed)		
5	1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Black	6 = Black 7 = Other (Specify)
★ 6. CC	TYLEDON COLOR: (Mature Seed)		
1	1 = Yellow 2 = Green		
7. SE	ED PROTEIN PEROXIDASE ACTIVITY:	The state of the s	
1	1 = Low 2 = High		
8 SE	ED PROTEIN ELECTROPHORETIC BAND:		
	1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HY	POCOTYL COLOR:		
	٦	bronze band below cotyledons ('Wo	podworth'; 'Tracy')
710. LE.	AFLET SHAPE:		
2	1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	
	•	· Other lobertily/	

FORM LMGS-470 57 (6-83)

(Edition of 2-82 is obsolete.)

CODA (\$400 470 E7 (C 07)

Stem Canker (Diaporthe phaseolorum var. caulivora)

\circ	\mathbf{a}	\wedge	\cap	\cap	Z	_
9	4	U	U	U	\mathcal{L}	C

19. DISEASE REAC	TION: (Enter 0 = Not Tested; 1 = Susceptible; 2	= Resistant) (Continued)	721	70050
	EASES: (Continued)	Western, (Continued)	And the second second	· · · · · · · · · · · · · · · · · · ·
★ 1 Pod and	i Stem Blight <i>(Diaporthe phaseolorum</i> var; sojae)			
· [-]	Seed Stain (Cercospora kikuchii)			
	onia Root Rot <i>(Rhizoctonia solani)</i>			
	nthora Rot (Phytophthora megasperma var. sojae)			
★ 1 Race 1	0 Race 2 1 Race 3	Race 4 0 Race 5	0 2	
0 Race 8	0 Race 9 Other (Specify)	T LINES & THACK 5	Race 6	Race 7
VIRAL DISEA	Lamed Lamed			
0 Bud Blig	ht (Tobacco Ringspot Virus)			
	Mosaic (Bean Yellow Mosaic Virus)			
—	Mosaic (Cowpea Chlorotic Virus)			
	tle (Bean Pod Mottle Virus)			
, ,	ttle (Soybean Mosaic Virus)			
NEMATODE D				
Soybean	Cyst Nematode (Heterodera glycines)	•		
★ 0 Race 1	0 Race 2 1 Race 3 1]		
0 Lance Ne	matode (Hoplolaimus Colombus)	Race 4 Other (S	pecify)	
. —	Root Knot Nematode (Meloidogyne incognita)			-
\equiv	Root Knot Nematode (Meloidogyne Hapla)			
- =	pot Knot Nematode (Meloidogyne arenaria)			
一		,		
	Nematode (Rotylenchulus reniformis)			
	DISEASE NOT ON FORM (Specify):			
20. PHYSIOLOGICAL	RESPONSES: (Enter 0 = Not Tested; 1 = Suscep	rtible: 2 = Resistant)		
∸ ∧	osis on Calcareous Soil			
[ecify)			
	N: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R			
	ean Beetle (Epilachna varivestis)	P\$(\$tant)		
	f Hopper (Empoasca fabae)			
	cify)			
	VARIETY MOST CLOSELY RESEMBLES THA	T SUBMITTED.		
CHARACTER Plant Shape	NAME OF VARIETY A2943	CHARACTER	NAME OF	VARIETY
Leaf Shape	A2943	Seed Coat Luster	A2943	
Leaf Color	A2943	Seed Size	A2943	
Leaf Size	A3127	Seed Shape Seedling Pigmentation	A2943	
		s , rymentation		

EORM + MOS 470 57 (6 93)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	DAYS LO	PLANT CM LODGING PLANT SCORE HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE	NO.	
			HEIGHT	CM Width	CM Length	% Protein	% Oil	G/100 SEEDS	SEEDS/ POD
3311 Submitted	117	2.1	76	8	11	40.2	22.1	15	2.66
A2943 Name of Similar Variety	118	2.1	86	8	12	43.0	18.8	13	2.67

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Arner. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Grop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT E

CIBA-GEIGY SEED DIVISION'S APPLICATION FOR 3311 STATEMENTOF THE BASIS OF APPLICANT'S OWNERSHIP

Soybean variety 3311 was developed by the CIBA-GEIGY Seed Division, CIBA-GEIGY Corporation, soybean breeding staff from germplasm sources cited in Exhibit A of this application. CIBA-GEIGY Seed Division believes that the variety is novel as defined in the Plant Variety Protection Act and, therefore, that CIBA-GEIGY Corporation is the sole owner of the variety.